





7890 Amish Pike • Plain City, Ohio

Phone: (614) 873-3506 Fax: (614) 873-3614

Email: sales@sommerswood.com www.sommerswood.com


TABLE OF CONTENTS


[1]	Drawer Boxes	. 5
[2]	Cabinet Doors	. 9
[3]	Drawer Fronts	23
[4]	Entry Doors	27
[5]	Stock Profiles	37

SECTION 1


Drawer Boxes

Dovetail Drawer Boxes





Standard Drawer Box with back notched for undermount slides




- Standard drawer boxes are made with $\frac{1}{16}$ soft maple sides.
- Height in $\frac{1}{2}$ " increments from 2" to 12".
- Side-mount and under-mount slides are available.
- Drawer boxes to be used with under-mount slides are notched as shown on previous page.
- Standard drawer bottoms are $\frac{1}{4}$ " plywood, inset $\frac{1}{2}$ " up from the bottom.
- 3/8" plywood drawer bottoms are available on request.
- For drawer boxes with under-mount slides, width should be $\%_{16}''$ less than the cabinet opening.
- For drawer boxes with side-mount slides, width should be 1" less than the cabinet opening.
- Clear coat finishing is available on request (outside front and back are generally left unfinished except for roll out trays or if customer specifies otherwise).
- When ordering specify: Width x Depth x Height

SECTION 2


Cabinet Doors


Cabinet Door Styles



- When ordering cabinet doors, specify: door style, frame profile #, panel profile #, edge profile #, size (width x height).
- European hinges and hinge boring available on request.
- Minimum rail length is $4\frac{1}{16}$ ".
- No warranty offered on doors over 48" without a mid rail.

Frame Profiles








- 2¼" wide frame rails as shown are standard. Frame rail width can be adjusted according to customer specs.
- $\bullet \ \ \ ^3\!\!\!/_4''$ thick frame rails as shown are standard. Other thicknesses are available on request.

Mitered Frame Profiles

Please note that as of April 1, 2025, SWD no longer offers mitered doors.










- 1¾" and 1¼" wide rails can be used for mitered drawer fronts with the corresponding wider rails on mitered doors. (Example: mitered drawer fronts SWD 841 used with mitered doors SWD 840)
- No double panel mitered doors.

Applied Moulding Profiles







SWD 3168 | Applied Moulding



SWD 3169 | Applied Moulding





SWD 3171 | Applied Moulding




- 3168 and 305 applied mouldings can be ordered with customers choice of frame profile and panel profile.
- When ordering applied moulding doors, specify: applied moulding #, frame profile #, panel profile #, edge profile #, & door size (width x height)
- Applied moulding numbers correspond with SWD trim profile numbers. For more profiles, see SWD Trim Catalog Section 3.


Panel Profiles





Outside Edge Profiles






SECTION 3

Drawer Fronts

Drawer Front Styles




Slab Drawer Front



Raised Drawer Front



5 Piece Raised Panel Drawer Front



5 Piece Flat Panel Drawer Front



Mitered Frame Drawer Front




Applied Moulding
Drawer Front

- Mitered Frame Drawer Front minimum height is 5½".
- Raised drawer fronts are made with customer's choice of panel profile and edge profile combination. The ones shown here are common examples.
- Standard drawer front thickness is 3/4". When ordering 1" drawer fronts, specify thickness.
- When ordering 5 piece drawer fronts, specify: drawer front style, frame profile #, panel profile #, edge profile #, & size (width x height).
- When ordering slab or raised drawer fronts, specify: drawer front style, edge profile #, & size (width x height).
- Standard frame widths for drawer fronts is $2\frac{1}{4}$ " stiles and $1\frac{3}{4}$ " rails.


SECTION 4

Entry Doors


Entry Door Styles




Two Panel Door




Three Panel Craftsman Door




Four Panel Door




Five Equal Panel Door




Six Panel Door




One Panel Six Light Glass Door




Two Panel Six Light Glass Door



Two Panel Nine Light Glass Door




Ten Light Glass Door





Fifteen Light Glass Door


- Sommers Wood-N-Door specializes in custom entry doors. The styles and sizes shown here are only examples of some standard styles and sizes. Arched top doors, double doors, sidelights, and other specialty styles are available.
- Entry doors are sold as pre-hung units or slabs.
- Double units are not assembled.


Frame Profiles



















13/8" SWD 387 Cannot be used with glass panels.



13/4" SWD 387 Cannot be used with glass panels.




SWD 388 13/8" Cannot be used with glass panels.




SWD 388 13/4" Cannot be used with glass panels.

- SWD 364, SWD 365, & SWD 367 can be made with a $\frac{1}{2}$ " groove for thicker doors.
- SWD 365 can be used with applied moldings for other frame profile options. See SWD Trim Catalog Section 3 for other profiles.



Panel Profiles



Note:

• For more panel profile options, see Cabinet Door Section.

SECTION 5

Stock Profiles

Stock Profiles

- Limited amounts of the profiles listed here are kept in stock for walk-in customers.
- All these items are stocked in poplar, and some are also stocked in soft maple and red oak, but typically in smaller quantities.

S4S (Surfaced 4 Sides)

- 1 x 2, 1 x 2½, 1 x 3, 1 x 4, 1 x 6, 1 x 8 are stocked in poplar and soft maple.
- 1 x 10, and 1 x 12 are stocked only in poplar and finger joint poplar.

- $1 \times 2 (\frac{3}{4}'' \times 1\frac{1}{2}'' \text{ net})$
- 1 x 2½ (¾" x 2" net)
- 1 x 3 (3/4" x 21/2" net)
- $1 \times 4 \left(\frac{3}{4}'' \times 3\frac{1}{2}'' \text{ net}\right)$
- 1 x 6 (3/4" x 51/2" net)
- 1 x 8 (¾" x 7¼" net)
- 1 x 10 (3/4" x 91/4" net)
- 1 x 12 (3/4" x 111/4" net)

Sheet Goods

MDF:


- 3/8" x 4' x 8' 3/4" x 4' x 8'
- 5/8" x 4' x 8'
- 3/4" x 4' x 8'

Birch/Maple Plywood:


HDF:

- ½" x 4' x 8'
- 3/4" x 4' x 8'


Casing




SWD 022 $\frac{3}{4}$ " x $2\frac{3}{4}$ "



SWD 101 $\frac{3}{4}$ " x $2\frac{3}{8}$ "



SWD 111 $\frac{3}{4}$ " x 3½"



SWD 112 $\frac{3}{4}$ " x $3\frac{1}{4}$ "

Base



SWD 200 | ½" x ¾"



SWD 201 | 11/16" x 31/2"



SWD 204 $\frac{11}{16}$ " x 4"





SWD 220 $\frac{11}{16}$ x $5\frac{1}{2}$





SWD 227 $\frac{11}{16}$ x 5 $\frac{11}{16}$ x 6 $\frac{11}{16}$ x 7 $\frac{11$


Crown



















SWD 523 | %₁₆" x 1¾" | 38/52













Other Stock Profiles



SWD 306 | 5/8" x 1"






SWD 307 $\frac{11}{16}$ x $1\frac{3}{8}$ "



SWD 313 | 5/8" x 11/8"



SWD 314 $\frac{13}{16}$ " x $\frac{11}{2}$ "



SWD 325 | 1½″ x 1″



SWD 327 | ½" x ¾"



SWD 328 | 3/4" x 3/4"



SWD 329 | 5/8" x 5/8"



SWD 339 | 7/16" x 1/2"



SWD 340 | 3/8" x 3/8"

